



KT&C ExView CCD (0.05LUX), VFL 2.8-11mm, 480 TVL, Dual Power, Vandal

3 Axis Rotation, IR - 90+ FT , Mechanical Day/Night , Fujinon Vari-focal lens, Weather Proof (IP66) Vandal Proof 2500 lb 3 Year Warranty with One year advanced replacement

Item:

BD.SN-IRDV560VF



KT&C ExView CCD (0.05LUX), VFL 2.8-11mm, 480 TVL, Dual Power,

SONY 1/3" SUPER HAD ExView CCD, 480 TVL, 0.05 Lux/F2.0, Varifocal 2.8-11mm, Auto-Iris, Vandal Proof, Weather resistant, Dual Power (AC24V/DC12V), Line Lock, 2 Years

Item:

BD.KPC-EXVPD480CAV9



KT&C 550TVL, f2.6-11mm, 30 LED, 100+ ft, IR Vandal Proof Dome Camera

SONY 1/3" SUPER HAD CCD II, 550 TVL, 0.0 Lux IR On, 2.6-11mm (Max. Aperture: F1.2), 30 High Density 850nm IR LEDs / Shooting Distance 100'+, Vandal Proof, Weather resistant (IP66), DC12V, VAC 24, 2 Years, Multi-Language OSD Control, ATR Digital Powerful 128x WDR (52dB), Anti-Healight (HLC) 2D Noise Reduction, High Contrast Images, Ideal for Backlight Environments

Item:

BD.CMP-HWB-TL16



KT&C 550TVL, f2.6-11mm, 30 LED, 100+ ft, IR Vandal Proof Dome Camera

1/3" Sony Super HAD CCD, 550 TVL, 0.5 Lux/F2.0 (IR cut filter removed), Aspheric Varifocal (3.8-9.5mm), Auto-Iris, Vandal Proof, Weather resistant (IP66), CDS sensor, DC12V, 2 Years

Item:

BD.KPC-VDQ101NHV14



KT&C 550TVL, f2.6-11mm, 30 LED, 100+ ft, IR Vandal Proof Dome Camera

1/3" Digital Wide Dynamic Color Camera , Color: 680 TVL, B/W: 700 TVL , Color: 0.03, Lux, B/W: 0.01 Lux, 4~9mm Verifocal AI Lens, 2D Noise Reduction

Item:

BD.SN-DV700VF

**KT&C 550TVL, f2.6-11mm, 30 LED, 100+ ft, IR Vandal Proof Dome Camera**

SONY 1/3" SUPER HAD CCD II, SONY 1/3" SUPER HAD CCD II, 550 TVL, 0.0 Lux IR On, 2.6-11mm (Max. Aperture: F1.2), 30 High Density 850nm IR LEDs / Shooting Distance 100'+, Vandal Proof, Weather resistant (IP66), DC12V, VAC 24, 2 Years

Item:**BD.KPC-VNN101NHV15****Xavee High Resolution (540TVL) IR Day/Night Vandal Resistant Dome Camera**

1/3" Sony Super HAD CCD, 540 TVL, Color 0.3 Lux, B/W - 0.002Lx, 2.9-10.0mm Varifocal Auto-Iris, Vandal Resistant, Weather Proof (IP65), 18 High Density 850nm IR LEDs, 12VDC, 2 years

Item:**BD.XAVRDD-5351IR****SecuNext 1/3" SONY CCD, 3.7-12mm VFL, 560VL, Vandal Proof Day/Night Dome**

1/3" Sony Super HAD CCD, 560 TVL, Color 0.01 Lux 3.7~12mm Vari-focal Auto Iris Lens Vandal Resistant, Weather Proof (IP65), 12VDC, 3 year warranty

Item:**BD.XAVRDD-5351IR****Xavee High Resolution (540TVL) IR Day/Night Vandal Resistant Dome Camera**

1/3" SONY Super CCD, 33X Optical Zoom, 12X Digital Zoom, 540TVL, 360" Endless Rotation, Day & Night with ICR, 127 Presets, 8 Group Tours, 8 Patterns, Auto Flip, AC24V. Wall mount bracket & junction box is included.

Item:**BD.SN-SPD-33W****SecuNext 1/3" SONY CCD, 3.7-12mm VFL, 560VL, ICR, Dual Power Vandal Proof**

1/4" Sony ExView CCD (Fujinon Lens), 560 TVL, 0.01 Lux, 3.7~12mm Vari-focal Auto Iris Lens, Vandal Proof (1000 Kg impact resistance) , Weather Proof (IP66) , Dual Power (DC12/AC24V), 3 Years with One Year Advanced replacement

Item:**BD.SN-DV560VF**

**KT&C BD.KPC-VDQ101NHV14 Varifocal Lens (2.6-11mm), 550TVL, 0.05 LUX**

Axis Sony HQ1 550 TV Lines, Vandal Proof, Varifocal Lens (2.6-11mm/F1.2), Auto Iris, Dual Power, Surface Mount Included, Multi-Language OSD Control , ATR Digital, Powerful 128x WDR (52dB), Anti-Healight (HLC), 2D Noise Reduction

Item:**BD.KPC-VDQ101NHV14****SecuNext High-Res 520 TVL, 0.01 LUX Vandal Proof Dome Camera**

1/3" Sony Super HAD Color CCD, 540TVL color, 4mm Fixed Lens,0.01 LUX, capture range, Vandal Proof, Weather Proof, 12 VDC, 2 Year Warranty

Item:**BD.SN-DV5200S****Samsung SCC-931T High Resolution Zoom Vandalproof Camera**

1/4" SuperHAD Color CCD, 480 TVL, 1 LUX, High impact, vandal resistant (Shock/ water/dust proof: IP66 grade),24VAC/12VDC

Item:**BD.SAM-SCC-931T****Xavee High Resolution (540TVL) IR Day/Night Vandal Resistant Dome Camera**

1/3" Sony Super HAD Color CCD, 540 TVL,Color 0.3 Lux, B/W - 0.002Lx,2.9-10.0mm, Varifocal Auto-Iris, 18 High Density 850nm IR LEDs, 12VDC, 2 years

Item:**BD.XAVRDD-5351IR****NEW SecuNext High contrast LPR camera**

High contrast LPR camera, Built-in 75mm 1/2" Lens, 210ft IR distance, IP67, Vandal-proof Housing w/ heater, blower, cable management bracket, 1/2" Sony exview CCD (Black & White, 600 TVL, Day mode: 0.04 lux/ Night mode: 0.016 lux , Dual Power (AC24V), 3 Years with One Year Advanced Replacement

Item:**CMP-HWB-TL16**



Messoa BD.SCR510HB-HN2 - 1/2" Sony Exview CCD 600TVL B/W

High contrast, Long-range LPR camera, 1/2" Sony Exview CCD B/W, 600TVL, built-in 75mm 1/2" Lens; Up to 112mph capture speed
Up to 82ft capture range (for 75mm lens) Remote control

Vandal resistance, Water resistance IP67 rated

Item:

BD.SCR510HB-HN2



Messoa BD.SCR515HBPRO-HN2 - 1/2" Sony Exview CCD/DSP 600TVL B/W

High contrast, Long-range LPR camera, 1/2" Sony Exview CCD/DSP B/W, 600TVL, built-in 75mm 1/2" Lens; Up to 112mph capture speed
Up to 82ft capture range (for 75mm lens) Remote control

Vandal resistance, Water resistance IP67 rated

Headlight suppression, Wide Dynamic Range, 3D DNR, intelligent traffic mode

Item:

BD.SCR515HBPRO-
HN2



Messoa BD.SCR506R-HN5 1/3" Sony CCD 540TVL Color - 600TVL B/W

1/3" Sony CCD
540TVL color, 600TVL B/W, ICR Day/Night
Built-in 9~22mm lens, Up to 19mph capture speed, 10~27ft capture range
Vandal resistance & Water resistance IP66 rated
Cable sealed bracket, DC12/ AC24V

Item:

BD.SCR506R-HN5



Samsung SCC-931T High Resolution Zoom Vandalproof Camera

1/4" Sony CCD, 480TVL, 1 LUX, High impact, vandal resistant (Shock/water/dust proof: IP66 grade), 24VAC/12VDC

Item:

BD.SCR506R-HN5



Xavee High Resolution (540TVL) IR Day/Night Vandal Resistant Dome Camera

1/3" Sony Super HAD Color CCD, 540 TVL, Color 0.3 Lux, B/W - 0.002Lx, 2.9-10.0mm Varifocal Auto-Iris, Vandal Resistant, Weather Proof (IP65), 18 High Density 850nm IR LEDs

Item:

BD.XAVRDD-5351IR



KT&C KPC-VDR101NNV14 3-axis 380 TV Lines, Vandal Proof, Varifocal Lens

3-axis 380 TV Lines, Vandal Proof, Varifocal Lens (2.6~11mm/F1.2), Auto Iris, Dual Power, Surface Mount Included

Item:

BD.KPC-VDR101NNV14



KT&C KPC-VDN61NUB 700 TV Lines, 0.05LUX, 3-axis, Vandal Proof Dome

700 TV Lines, 0.05LUX, 3-axis, 80 mm dia., 3.6mm, Vandal Proof Dome (IP66), DC12V, Black Body

Item:

BD.KPC-VDN61NUB



KT&C 550TVL, f2.6-11mm, 30 LED, 100+ ft, IR Vandal Proof Dome Camera

SONY 1/3" SUPER HAD CCD II, 550 TVL, 0.0 Lux IR On, 2.6-11mm (Max. Aperture: F1.2), 30 High Density 850nm IR LEDs / Shooting Distance 100'+, Vandal Proof, Weather resistant (IP66), DC12V, VAC 24, 2 Years

Item:

BD.KPC-VNN101NHV15



KT&C KPC-VDN101NHV8 3-axis 550 TV Lines, Vandal Proof, Varifocal Lens

3-axis 550 TV Lines, Vandal Proof, Varifocal Lens f9~22mm/F1.2, Auto Iris, Dual Power, Surface Mount Included, Mechanical Day & Night

Item:

BD.KPC-VDN101NHV8



KT&C KPC-VDE101NUB 3-axis 700 TV Lines, Vandal Proof, Fixed Lens 3.6mm

3-axis 700 TV Lines, Vandal Proof, Fixed Lens 3.6mm, OSD - 2DNR, ATR, BLC, HLC, Surface Mount included

Item:

BD.KPC-VDE101NUB



SecuNext 1/3" SONY CCD, 3.7-12mm VFL, 560VL, ICR, Dual Power IR (90+ FT)

3 Axis Rotation, IR - 90+ FT , Mechanical Day/Night , Fujinon Vari-focal lens , Weather Proof (IP66) ,Vandal Proof 2500 lb, 3 Year Warranty with One year advanced replacement

Item:

BD.SN-IRDV560VF



Xavee Corner Mountable 7" Rugged, High Impact & Vandal Resistant CCTV

1/3" Sony Super HAD Color CCD, 480 TVL, 0.5 Lux, Weather Proof (IP66), 5" Rugged, High Impact & Vandal Resistant,12VDC

Item:

BD.XACV-4103



KT&C KPC-HDV120M 1080p/30 FPS HDCCTV Vandal Proof Dome(IP66)

1/3" Exmor SONY Progressive Scan Color CMOS Sensor, 1080P (1920x1080) @30fps (Standard), HD-SDI (BNC), TV Out (BNC), NTSC/PAL Selectable, S/N Ratio : Max 50dB, Convenient OSD, True Day & Night, f3.6 ~ 16 D/N (F1.4) Mega Pixel Varifocal Lens, DC12V / AC24V Dual Voltage

Item:

BD.KPC-HDV120M



KT&C KPC-HNV100M 720p/30 FPS HDCCTV IR Vandal Proof Dome(IP66)

1/3" Exmor SONY Progressive Scan Color CMOS Sensor, 720P (1280x720) @30fps (Standard), HD-SDI (BNC), TV Out (BNC), NTSC/PAL Selectable, S/N Ratio : Max 50dB, Convenient OSD, True Day & Night, f = 3.0~9.0mm (F1.4) Mega Pixel Varifocal Lens, DC12V / AC24V Dual Voltage

Item:

BD.KPC-HNV100M



KT&C KPC-HDV100M 720p/30 FPS HDCCTV Vandal Proof Dome(IP66)

1/3" Exmor SONY Progressive Scan Color CMOS Sensor, 720P (1280x720) @30fps (Standard), HD-SDI (BNC), TV Out (BNC), NTSC/PAL Selectable, S/N Ratio : Max 50dB, Convenient OSD, True Day & Night, f = 3.0~9.0mm (F1.4) Mega Pixel Varifocal Lens, DC12V / AC24V Dual Voltage

Item:

BD.KPC-HDV100M



KT&C KPC-HDV100M 720p/30 FPS HDCCTV Vandal Proof Dome(IP66)

1/3" Exmor SONY Progressive Scan Color CMOS Sensor, 720P (1280x720) @30fps (Standard), HD-SDI (BNC), TV Out (BNC), NTSC/PAL Selectable, S/N Ratio : Max 50dB, Convenient OSD, True Day & Night, f = 3.0~9.0mm (F1.4) Mega Pixel Varifocal Lens, DC12V / AC24V Dual Voltage

Item:

BD.KPC-HDV100M